



IDENTIFICACION Y VALIDACION DE PUNTOS CRITICOS

N°	MUNICIPALIDAD DISTRITAL	RIO	LOCALIDAD	INICIO		FIN		LONGITUD (m)
				ESTE	NORTE	ESTE	NORTE	
1	Ate	Rímac	Ramiro Priale, Bocatoma	299936	8673523	299322	8672594	1,132
2	Ate	Rímac	Bello Horizonte a Puente Peatonal Foncodes	299270	8672561	297126	8672046	2,236
3	Ate	Rímac	Puente peatonal Carapongo a bocatoma	297118	8672027	296086	8671830	1,090
4	Ate	Rímac	Bocatoma SEDAPAL	296075	8671827	295261	8671709	845
5	Ate	Rímac	Puente Bailey a Puente Huachipa	293991	8671305	293097	8671114	923
6	Ate	Rímac	Ex Chancadora Recicla	292513	8670774	289987	8670267	2,602
TOTAL								8,828

Nota: Puntos Críticos de alta vulnerabilidad


Ing. Sixto Celso Palomino García
Administrador Local de Agua
Chillón - Rímac - Lurín


Ing. Daniel Godoy Castañeda
Subgerente Regional Agrario
Programa Gobierno Regional de Lima Metropolitana


Ing. Luis E. Yampufé Morales
Director Autoridad Administrativa del Agua
Cañete Fortaleza